

Date: 22.08.2016

Dear Sir/ Madam,

Greetings from REFORM Association

Subject: Request for quotation for Media Studio

The Palestinian Association for Empowerment and Local Development –**REFORM**, through the 'Hand In Hand'- Innovation Hub project aims to make a studio within the vicinity.

The Innovation Hub seeks to contribute to bridging the gaps between the various community components on both social and economic levels; 1) providing a safe and interactive platform to enable all members of different groups of society to participate in decision making processes, especially youth and women; 2) to improve their living conditions by developing untraditional production patterns, enhancing cooperation and partnership between targets groups, and increasing social responsibility of the private sector.

Please submit your offer at latest by Thursday, 25.08.2016 before **4:00 PM**.

Objective:

Building a fully operational studio that facilitates the development of participants' abilities in recording radio episodes.

Specifications:**1. Sound Card**

**2 channels I/O
USB**

2. Mixer

Type	Analog
Channels	8
Inputs - Mic Preamps	6 x XLR
Inputs - Line	8 x TRS, 2 x RCA
Outputs - Main	2 x XLR, 6 x TRS
Outputs - Other	2 x RCA
Headphones	1 x 1/4"
Send/Return I/O	2 x 1/4", 4 x 1/4"
Phantom Power	Yes
EQ Bands	3-band, Sweepable Mids
Aux Sends	1 x Pre, 1 x Post, 1 x FX
Busses/Groups	2 x Bus
Faders	16 x 60mm Throw
Channel Inserts	Yes (6)
Effects	Yes
Computer Connectivity	1 x USB
Height	3.875"
Width	16.17"
Depth	14.17"
Weight	10.4 lbs.
Manufacturer Part Number	X1832USB

3. Microphones (quantity = 3)

Microphone Type	Condenser
Polar Pattern	Cardioid
Diaphragm Size	1" (25.4mm)
Frequency Response	20Hz-20kHz
Max SPL	136dB (156dB w/Pad)
Output Impedance	200 ohms
Signal to Noise Ratio	81dB (A weighted)
Self Noise	13dB (A weighted)
Low Cut Filter	160Hz (-6dB/octave)
Pads	-20dB
Color	Matte Grey Blue
Connector	XLR
Weight	0.62 lbs.
Included Accessories	H85 Shockmount, Metal Carry Case
Manufacturer Part Number	3185Z00010

4. Headphones (quantity = 3)

Open/Closed	Closed
Fit Style	Circumaural (Around the Ear)
Driver Size	40mm
Frequency Response	15Hz-24kHz
Impedance	35 ohms
Cable Type	Straight/Coiled
Replaceable Cable	Yes
Cable Length	9.8'
Plug Size	1/8" (1/4" Adapter Included)
Weight	0.53 lbs. (without cable and connector)
Manufacturer Part Number	ATH-M40x

5. Monitors

Powered	Yes
Power Configuration	Bi-amped
LF Driver Size	8"
LF Driver Type	Cone
HF Driver Size	1"
HF Driver Type	Dome
LF Driver Power Amp	75W
HF Driver Power Amp	45W
Total Power	120W
Frequency Range	38Hz-30kHz
Crossover Frequency	2kHz
Enclosure Type	Ported
Input Types	1 x XLR, 1 x 1/4" (TRS)
Height	15.4"
Width	9.8"
Depth	13.1"
Weight	18.1 lbs.
Manufacturer Part Number	HS8

Notes:

- The offer should be submitted in one currency (**ILS**). All Taxes must be included in the final price.
- Company should show its commitment in paying taxes.
- Company must specify type and price per unit for each product.
- **REFORM may choose to award this procurement to more than one vendor for some specific items that may not be found or obtained at a point of time.**
- Company should state the validity of price offer.
- The company must deliver purchased items to 'Hand-in-Hand'-Innovation Hub vicinity in Ramallah-Al-Masyoun and must cover installation and delivery fees.
- Company must specify warranty period for each product.
- **Price Offer should be drafted in English, signed, and/or stamped in a closed envelope and be delivered by hand to the following address:**

The Palestinian Association for Empowerment and Local Development- REFORM

Tirawi Building, 2nd floor in Al Masyoun, Ramallah

For more information, please do not hesitate to contact us by phone or email:

Tel/Fax: 02-2966645, Email: Info@reform.ps

Thank you for your kind cooperation.

Sincerely yours,

Nadine Natour


Financial and Admin Assistant

REFORM